

KMB6

Miniature circuit breaker, 4P



[Hz] 50	B	4P	4	IP 20	1÷25	5÷40
TH 35	Ui [V] 500	CE	EAC	VDE	UK CA	



KMB6-B6/4

	[V]		In [A]	
KMB6-B6/4	32592	230 AC	4	6
KMB6-B10/4	32593	230 AC	4	10
KMB6-B16/4	32594	230 AC	4	16
KMB6-B20/4	32595	230 AC	4	20
KMB6-B25/4	32596	230 AC	4	25
KMB6-B32/4	32597	230 AC	4	32
KMB6-B40/4	32598	230 AC	4	40
KMB6-B50/4	32599	230 AC	4	50
KMB6-B63/4	32600	230 AC	4	63

Circuit breaker with overcurrent protection is used to protect cables against overloads and short circuits in installations and devices.

KMB6

Miniature circuit breaker, 4P



KMB6-B6/4



KMB6-B10/4



KMB6-B16/4



KMB6-B20/4



KMB6-B25/4



KMB6-B32/4




KMB6-B40/4




KMB6-B50/4




KMB6-B63/4




KMB6-B6/4



KMB6-B10/4




KMB6-B16/4




KMB6-B20/4

KMB6


Miniature circuit breaker, 4P




KMB6-B25/4




KMB6-B32/4



KMB6-B40/4



KMB6-B50/4



KMB6-B63/4